

Solar Thermal Product Listing

No./SRCC-18001

Issued: November 15, 2017 Expiration Date: April 01, 2026

www.solar-rating.org | (800) 423-6587 | (562) 699-0543

CSI:

DIVISION: 22 00 00 - PLUMBING Section: 22 33 30.23 - SOLAR DOMESTIC WATER HEATER SYSTEMS DIVISION: 23 00 00 - HEATING Section: 23 56 13 - HEATING SOLAR COLLECTORS

STANDARDS & CRITERIA

PRODUCT LISTING PROGRAM:

The ICC-SRCC Solar Thermal Listing Program is conducted in accordance with the *ICC-SRCC Rules for Solar Heating & Cooling Product Listing Reports*. The program also includes periodic factory inspections and surveillance of the manufacturer's quality management system.

| PRODUCTS: | SOLAR THERMAL COLLECTOR | |
|-----------|---|---|
| LISTEE: | GREENoneTEC Solarindustrie, GmbH Industriepark St. Veit Energieplatz 1 St. Veit, 9300, Austria | <u>www.greenonetec.com</u> +43 (0)-4212-281 36 |

COMPLIANCE WITH:

CODES

| CODES | | | | | | |
|---|--|---|--------------------------------------|--|--|--|
| * | 2021, 2018 Uniform Solar, Hydronics & Geothermal Code®* | * | ICC 900/SRCC 300-2020, Solar Thermal | | | |
| * | 2024, 2021 Uniform Plumbing Code [®] (UPC)* | | Systems Standard | | | |
| * | 2024, 2021 Int'l Plumbing Code (IPC)** | * | ICC 901/SRCC 100-2020, Solar Thermal | | | |
| * | 2024, 2021 Int'l Green Construction Code [®] (IgCC)** | | Collector Standard | | | |
| * | SRCC EM-1, Methodology for Determining Compliance with State and | | | | | |
| | Federal Lead in Plumbing Laws for Solar Heating and Cooling | | | | | |
| Equipment, 10/28/2015. Shows compliance with: | | | | | | |
| | Reduction of Lead in Drinking Water Act, California Health and | | | | | |
| | Safety Code § 116875 | | | | | |
| | Vermont Lead Reduction Law (Vermont Act 193) | | | | | |
| | Louisiana Reduction of Lead Act (Louisiana Act 362) | | | | | |
| | Maryland Lead-Free Materials Act (HB 372) | | | | | |
| | Reduction of Lead in Drinking Water Act (Section 1417 of the | | | | | |
| | Federal Safe Drinking Water Act (SDWA)) | | | | | |
| | NSF 372-2010, Drinking Water System Components – Lead | | | | | |
| | Content** | | | | | |

*Uniform Codes are copyrighted publications and trademarks of the International Association of Plumbing and Mechanical Officials (IAPMO) **International Codes are copyrighted publications and trademarks of the International Code Council (ICC)

*** NSF Standards are copyrighted publications of NSF International.

COLLECTOR MODELS:

| | | | OG-100 CERTIFICATION |
|------------|---------------|--------------------------|-------------------------|
| TYPE | MODEL | SIZES (ft ²) | NO* |
| ICS Glazed | Solpal L Plus | 25.66 | <u>10001930</u> |

The products listed above have been evaluated by the Solar Rating & Certification Corporation (ICC-SRCC"), an ISO/IEC 17065 accredited and EPA-recognized Certification Body, in accordance with the *ICC-SRCC Rules for Solar Heating & Cooling Product Listing Reports* and has been listed by the ICC-SRCC to the codes and standards above. This award of listing is subject to all terms and conditions of the *ICC-SRCC Rules for Solar Heating & Cooling Product Listing Reports*, and the documents incorporated therein by reference.

* Current certifications to the ICC-SRCC programs are available at http://www.solar-rating.org/directory

INSTALLATION:

Solar thermal collectors must be installed in accordance with the manufacturer's published installation instruction, the applicable code(s) add this listing. Where differences exist, the instructions in this listing must govern.

Where the product requires periodic examination, adjustment, service and or maintenance it must be easily and safely in accordance with the codes in force at the installation site.

Collectors and supports shall be installed in such a manner that water flowing off the collector will not damage the building or cause premature erosion of the roof. Collectors shall be installed in such a manner as to minimize the accumulation of debris. Ground-mounted collectors shall be at least 6" above ground level.

Structural supports shall be selected and installed in such a manner that thermal expansion of the collector and piping will not cause damage to the collector, structural frame or building. Neither wind loading (including uplift) nor the additional weight of filled collectors shall exceed the live or dead load ratings of the building, roof, roof anchorage, foundation or soil. Collector supports shall not impose undue stresses on the collectors. The design load shall be as specified by the codes in force at the installation site and shall include an additional load due to snow accumulation for applicable locations.

CONDITIONS OF LISTING:

- 1. Devices and components shall be installed and used in accordance with the manufacturer's published installation instructions and the applicable code(s) and standard(s).
- 2. Systems shall be sized in accordance with the demand, manufacturer's requirement, and local codes.
- 3. System components requiring access for maintenance and inspection shall be installed to provide required access in accordance with manufacturer's instructions and local codes.
- 4. Solar thermal collectors shall be installed in accordance with the requirements of the IBC, Section 2606.12, Section 3139B.1 of the CBC in CA and IgCC Section 607.3
- 5. Solar thermal collectors shall not be installed below flood elevation level of USHGC Section 302.3
- 6. Solar thermal collectors shall only be used with water per manufacturer's requirements.
- 7. Each installation must be pressure-tested for leaks in the presence of the code official or code official's designated representative.
- 8. Penetrations through fire-resistance-rated walls and roof decks shall comply with Section 714 of the IBC.
- 9. Solar thermal components shall use approved mounting hardware in compliance with the manufacturer's installation instructions and the requirements set forth by the Authority Having Jurisdiction.
- 10. Solar thermal collectors shall be installed to prevent water intrusion into roof assemblies in accordance with the requirements of Section 1503 of the IBC.
- 11. Devices and components are manufactured by GREENoneTEC Solarindustrie, GmbH under a quality control program with surveillance inspections conducted in accordance with the requirements of ICC-SRCC.

IDENTIFICATION:

Models listed above are eligible to display the following listing marks as governed by the *ICC-SRCC Rules for Mark and Certificate Use.* Each device or component shall also be permanently marked with the following information as required by the codes and standards listed above.



1. Manufacturer's name and model number.

2. Maximum operating pressure.

3. Compatible heat transfer fluids.

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by the Solar Rating and Certification Corporation, express or implied as to any finding or other matter in this listing, or as to any product covered by the listing. This document must be reproduced in its entirety.

Shawn Martin

Vice President of Technical Services, ICC-SRCC